

Doctoral and post-doctoral studies

- Hegner, E., A. Tegtmeyer and A. Kröner (1981). Geochemistry and petrogenesis of Archaean volcanic rocks of the Pongola Group, Natal, South Africa, *Chemie der Erde*, 40: 23-57.
- Hegner, E., A. Kröner and A.W. Hofmann (1984). Age and isotope geochemistry of the Archaean Pongola and Usushwana suites in Swaziland, southern Africa: a case for crustal contamination of mantle-derived magma. *Earth Planet. Sci. Lett.*, 70: 267-279.
- Hegner, E., D. Unruh and M. Tatsumoto (1986). Nd-Sr-Pb isotope constraints on the sources of West Maui volcano, Hawaii. *Nature*, 319: 478-480.
- Hegner, E. and M. Tatsumoto (1987). Pb, Sr, and Nd isotopes in basalts and sulfides from the Juan de Fuca Ridge. *J. Geophys. Res.*, 92: 11,380-11,386.
- Tatsumoto, M., E. Hegner and D. Unruh (1987). Origin of the West Maui volcanic rocks inferred from Pb, Sr, and Nd isotopes and a multicomponent model for oceanic basalts. *U.S. Geol. Surv. Prof. Pap.*, 1350: 723-743.
- Nisbet, E.G., Arndt, N.T., Bickle, M.J., Cameron, W.E., Chauvel, C., Cheadle, M., Hegner, E., Kyser, T.K., Martin, A., Renner, R., Roedder, E. (1987). Uniquely fresh 2.7 Ga komatiites from Belingwe greenstone belt, Zimbabwe. *Geology*, 15: 1147-1150.
- Hegner, E. and J. Pallister (1989). Pb, Sr, and Nd isotopic characteristics of Tertiary Red Sea rift volcanics from the central Saudi Arabian coastal plain. *J. Geophys. Res.*, 94: 7749-7755.
- Pallister, J.S. and Hegner, E. (1989). Isotopic evidence for evolution of sub-continental mantle during Red Sea rifting. *U. S. Geol. Surv. Rep.*, 89-0335, 25 pp.
- Hegner, E., T.K. Kyser and L. Hulbert (1989). Nd, Sr, and O isotopic constraints on the petrogenesis of mafic intrusions in the Proterozoic Trans-Hudson Orogen of central Canada. *Can. J. Earth Sci.*, 26: 1027-1035.
- Hegner, E. and M. Tatsumoto (1989). Pb, Sr, and Nd isotopes in seamount basalts from the Juan de Fuca Ridge and Kodiak-Bowie seamount chain, northeast Pacific. *J. Geophys. Res.*, 94: 17839-17846.
- Hegner, E. and M.L. Bevier (1989). Geochemical constraints on the origin of mafic rocks from the Cape Smith Belt. *Geosci. Can.*, 16: 148-151.
- Hegner, E. and M.L. Bevier (1991). Nd and Pb isotopic constraints on the origin of the Purtuniq ophiolite and early Proterozoic Cape Smith Belt, northern Quebec. *Chem. Geol.*, 91: 357-371.

- Hegner, E. and I.E. Smith (1992). Isotopic compositions of Late Cenozoic volcanics from southeast Papua New Guinea: evidence for multi-component sources in arc and rift environments. *Chem. Geol.*, 97: 233-249.
- Barr, S.M. and E. Hegner (1992). Nd isotopic compositions of Felsic Igneous Rocks in Cape Breton Island, Nova Scotia: Implications for Petrogenesis and Terrane Analysis. *Can. J. Earth Sci.*, 29: 650-657.
- Ayuso, R.A., Barr, S.M., Longstaffe, F.J., Hegner, E. (1992). Pb-Nd-O isotopic compositions of igneous rocks; implications for petrogenesis and terrane correlation, Cape Breton Island, Nova Scotia, Canada. *U. S. Geol. Surv. Rep.*, 92-0525, 15-23.
- Whalen, J. B; Hegner, E.; Jenner, G. A; Longstaffe, F.J. (1992). Granite geochemical and isotopic transect of the southern Canadian Appalachian Orogen. In: The second Hutton symposium on the origin of granites and related rocks. Brown, P. E. and Chappell, B. W. (eds.). *Geol. Soc. Am. Spec. Pap.*, 272: 503.
- Davis, W.J. and E. Hegner (1992). Neodymium Isotopic Evidence for the Tectonic Assembly of Late Archean Crust in the Slave Province, northwest Canada. *Contrib. Mineral. Petrol.*, 111: 493-504.
- Emslie, R.F. and E. Hegner (1993). Reconnaissance Isotopic Geochemistry of Anorthosite-Mangerite-Charnockite-Granite Complexes, Grenville Province, Canada. *Chem. Geol.*, 106: 279-298.
- Whalen, J.B., G.A. Jenner, E. Hegner, C. Gariepy and F.J. Longstaffe (1994). Geochemical and Isotopic (Nd, O, and Pb) Constraints on Granite Sources in the Humber and Dunnage Zones, Gaspesie, Quebec, and New Brunswick: Implications for Tectonics and Crustal Structure. *Can. J. Earth Sci.*, 31: 323-340.
- Whalen, J.B., G.A. Jenner, K.L. Currie, S.M. Barr, F. Longstaffe, and E. Hegner (1994). Geochemical and Isotopic Characteristics of granitoids of the Avalon Zone, Southern New Brunswick: Possible evidence for repeated Delamination Events. *J. Geol.*, 102: 269-282.
- Hegner, E., A. Kröner and P. Hunt (1994). A precise U-Pb zircon age for the Archaean Pongola volcanics in Swaziland. *J. Afr. Earth Sci.*, 18: 339-341.
- Hegner, E., C.R. Roddick, S.M. Fortier and L. Hulbert (1995). Nd, Sr, Pb, Ar, and O isotopic systematics of Sturgeon Lake kimberlite, Saskatchewan, Canada: constraints on emplacement age, alteration, and source composition. *Contrib. Mineral. Petrol.*, 120: 212-222.

- Kröner, A., E. Hegner, J. Hammer, G. Haase, K.-H. Bielecki, M. Kraus and J. Eidam (1993). Geochronology and Nd-Sr-isotopic systematics of Lusatian granitoids: Significance for the evolution of the Variscan orogen in east-central Europe. *Geologische Rundschau*, 83: 357-376.
- Bach, W., E. Hegner, J. Erzinger and M. Satir (1994). Chemical and isotopic variations along the superfast spreading East Pacific Ridge from 6° to 30°S. *Contrib. Mineral. Petrol.*, 116: 365-380.
- Kröner, A., A.P. Willner, E. Hegner, A. Frischbutter, J. Hofmann, R. Bergner (1995). Latest Precambrian (Cadomian) zircon ages, Nd isotopic systematics and PT evolution of granitoid orthogneisses of the Erzgebirge, Saxony and Czech Republic. *Geologische Rundschau*, 84: 437-456.
- Hegner, E., H.J. Walter, M. Satir (1995). Pb-Sr-Nd isotopic compositions and trace element geochemistry of megacrysts and melilitites from the Tertiary Urach volcanic field: source composition of small volume melts under SW Germany. *Contrib. Mineral. Petrol.*, 122: 322-335.
- Kilian, R., E. Hegner, S. Fortier and M. Satir (1995). Magma evolution within the mafic accretionary basement of Quaternary Chimborazzo and associated volcanoes. *Andean Geology*, 22: 203-218.
- Whalen, J.B., G.A. Jenner, F.J. Longstaffe, E. Hegner (1996). Nature and evolution of the eastern margin of Iapetus; geochemical and isotopic constraints from Siluro-Devonian granitoid plutons in the New Brunswick Appalachians. *Can. J. Earth Sci.*, 33: 140-155.
- Kröner, A., E. Hegner, J.I. Wendt and G.R. Byerly (1996). The oldest part of the Barberton granitoid-greenstone terrain, South Africa: evidence for crust formation between 3.5 and 3.7 Ga. *Precam. Res.*, 78: 105-124.
- O'Brien, P.J., A. Kröner, P. Jaeckel, E. Hegner, A. Zelazniewicz, R. Kryza (1997). Petrological and isotopic studies on Paleozoic high pressure granulites with a medium pressure overprint, Gory Sowie (Owl) Mts., Polish Sudetes. *J. Petrol.*, 38: 433-456.
- Zangana, N.A., H. Downes, M.F. Thirlwall and E. Hegner (1997). Relationship between deformation, equilibration temperatures, REE and radiogenic isotopes in mantle xenoliths (Ray Pic, Massif Central, France): an example of plume-lithosphere interaction? *Contrib. Mineral. Petrol.*, 127: 187-203.
- Knittel, U., Hegner, E., Bau, M. and M. Satir (1997). Enrichment processes in the sub-arc mantle: a Sr-Nd-Pb isotopic and REE study of primitive arc basalts from the Philippines. *Can. Mineral.*, 35: 327-346.
- Kalt, A., E. Hegner, M. Satir (1997). Nd and Sr isotopic evidence for changing mantle

source compositions of east African Rift carbonatites through time. *Tectonophysics*, 278: 31-45.

- Beard, A.D., Downes, H., Hegner, E., Sablukov, S., Vetrin, V. and K. Balogh (1997). Mineralogy and geochemistry of Devonian ultramafic minor intrusions of the southern Kola Peninsula, Russia: implications for the petrogenesis of kimberlites and melilitites. *Contrib. Mineral. Petrol.*, 130: 288-303.
- Hegner, E. and Vennemann, T.W. (1997). The role of fluids in the initiation of Tertiary European intra-plate volcanism: O-, H-, and Sr-isotope evidence from melilitites of S Germany. *Geology*, 25: 1035-1038.
- Bach, W., Hegner, E. and Erzinger, J. (1998). Chemical fluxes in the Tonga subduction zone: Evidence from the southern Lau Basin. *Geophys. Res. Lett.*, 25: 1467-1470.
- Kröner, A. and Hegner, E. (1998). Geochemistry, single zircon ages and Sm-Nd systematics of granitoid rocks from the Góry Sowie (Owl) Mts., Polish West Sudetes: evidence for early Palaeozoic arc-related plutonism. *J. Geol. Soc. Lond.*, 150: 322-335.
- Stracke, A. and Hegner, E. (1998). Rifting-related volcanism in an oceanic post-collisional setting: The Tabar-Lihir-Tanga-Feni (TLTF) island chain, Papua New Guinea. *Lithos*, 45: 545-560.
- Hegner, E., Kölbl-Ebert, M. and Loeschke, J. (1998). The origin of post-collisional Variscan lamprophyres from the Black Forest, Germany; $^{40}\text{Ar}/^{39}\text{Ar}$ phlogopite ages, compositional, and isotope characteristics. *Lithos*, 45: 395-411.
- Vennemann, T. and Hegner, E. (1998). Oxygen, Strontium, and Neodymium isotope compositions of fossil shark teeth as a proxy for the palaeoceanography and palaeoclimatology of the Miocene northern Alpine Paratethys. *Palaeogeogr. Palaeoclimat., Palaeoecol.*, 142: 107-121.
- Schmidberger, S. and Hegner, E. (1999). Geochemistry and isotope systematics of calc-alkaline volcanic rocks from the Saar-Nahe basin (SW Germany)- Implications for Late Hercynian orogenic development. *Contrib. Mineral. Petrol.*, 135: 373-385.
- Altherr, R., Henjes-Kunst, U., Hegner, E., Satir, M. and Langer, C. (1999). Plutonism in the Variscan Odenwald (Germany): from subduction to collision. *Int. J. Earth Sci.*, 88: 422-443.
- Oliver, G.J.H., Chen, F., Buchwaldt, R. and Hegner, E. (2000). Fast tectono-metamorphism and exhumation in the type area of the Barrovian and Buchan Zones. *Geology*, 28: 459-462.
- Chen, F., Hegner, E. and Todt, W. (2000). Zircon ages and Nd isotopic compositions of orthogneisses from the Black Forest, Germany: evidence for a Cambrian magmatic

arc. *Int. J. Earth Sci.*, 88: 791-802.

- Altherr, R., Holl, A., Hegner, E. Langer, C. and Kreuzer, H. (2000). High-potassium, calc-alkaline I-type plutonism in the European Variscides: northern Vosges (France) and northern Schwarzwald (Germany). *Lithos*, 50: 51-73.
- Beard, A.D., Downes, H., Hegner, E. and Sablukov, S.M. (2000). Geochemistry and Mineralogy of kimberlites from the Arkhangelsk region, NW Russia: evidence for transitional kimberlite magma types. *Lithos*, 51: 47-73.
- Walter, H.J., Hegner, E., Diekmann, B., Kuhn, G. Rutger van der Loeff, M.M. (2000). Provenance and transport of terrigenous sediment in the South Atlantic Ocean and their relations to glacial and interglacial cycles: Nd and Sr isotopic evidence. *Geochim. Cosmochim. Acta.*, 64: 3813-3827.
- Hegner, E. and Kröner, A. (2000). Review of Nd isotopic data and xenocrystic and detrital zircon ages from the pre-Variscan basement in the eastern Bohemian Massif: speculations on palinspastic reconstructions. *Spec. Pub. Geol. Soc. Lond.*, 179: 113-129.
- Abd El-Naby, H., Frisch W. and Hegner, E. (2000). Evolution of the Wadi Haimur Pan-African metamorphic sole, Eastern Desert, Egypt. *J. Metam. Geol.*, 18: 639-651.
- Kröner, A., Hegner, E., Collins, A.S., Windley, B.F. and Timothy, S. Brewer, T. Razakamanana, and R. Pidgeon (2000). Age and magmatic history of the Antananarivo Block, central Madagascar, as derived from zircon geochronology and Nd isotopic systematics. *Am. J. Science*, 300: 251-288.
- Vennemann, T., Hegner, E., Cliff, G., and Benz, G.W. (2001). Isotopic Composition of Recent Shark Teeth as a Proxy for Environmental Conditions. *Geochim. Cosmochim. Acta*, 65: 1583-1599.
- E. Hegner, Chen, F., and Hann H.P. (2001). Chronology of basin closure and thrusting in the internal zone of the Variscan belt in the Schwarzwald, Germany: evidence from zircon ages, trace element geochemistry, and Nd isotopic data. *Tectonophysics*, 332: 169-184.
- Kröner, A.P. Willner, E. Hegner, P. Jaeckel and A. Nemchin (2001). Single zircon ages, PT evolution and Nd isotopic systematics of high-grade gneisses in southern Malawi and their bearing on the extent of the Mozambique belt into southern Africa. *Precam. Res.*, 109: 257-291.
- Kröner, P. Jaeckel, E. Hegner, M. Opletal (2001). Single zircon ages and whole-rock Nd isotopic systematics of early Palaeozoic granitoid gneisses from the Czech and Polish Sudetes (Jizerské Hory, Krkonose Mts. and Orlice-Sniezník Complex). *Int. J.*

Earth Sci., 90: 304-324.

Research at LMU

- Blusztajn, J. and Hegner, E. (2002). Osmium isotopic systematics of melilitites from the Tertiary Central European volcanic province in SW Germany. *Chem. Geol.*, 189: 91-103.
- Kröner, A., S. Muhongo, E. Hegner, M. Wingate (2003). Single zircon geochronology and Nd isotopic systematics of Proterozoic high- grade rocks from the Mozambique belt of southern Tanzania (Masasi area): implications for Gondwana assembly. *J. Geol. Soc. Lond.*, 160: 745-757.
- Kröner, A., K.V.W. Kehelpannala, and E. Hegner (2003). Ca. 750-1100 Ma magmatic events and Grenville-age deformation in Sri Lanka: relevance for Rodinia supercontinent formation and dispersal, and Gondwana amalgamation. *J. Asian Earth Sci.*, 22: 279 - 300.
- Demény, T.W. Vennemann, E. Hegner, A. Ahijado, R. Casillas, G. Nagy, Z. Homonnay, M. Gutierrez, Cs. Szabó (2004). H, O, Sr, Nd and Pb isotopic evidence for recycled oceanic crust in the Transitional Volcanic Group of Fuerteventura, Canary Islands, Spain. *Chem. Geol.*, 205: 37- 54.
- Demény, A., Vennemann, T.W., Hegner, E., Nagy, G., Milton, J.A., Embey-Iszttin, A., Homonnay, Z. (2004). Trace element and C-O-Sr-Nd isotope evidence for subduction-related carbonate-silicate melts in mantle xenoliths (Pannonian Basin, Hungary). *Lithos*, 75: 89 - 113.
- M. Willbold, E. Hegner, R. Kleinschrodt, and H.-G. Stosch, and K.V.W. Kehelpannala (2004). Geochemical evidence for a Neoproterozoic active continental margin in Sri Lanka and implications for the development of Gondwana. *Precam. Res.*, 130: 185-198.
- Mingram, A. Kröner, E. Hegner, O. Krentz (2004). Zircon ages, geochemistry, and Nd isotopic systematics of pre-Variscan granitoid orthogneisses from the Erzgebirge (Ore Mountains), Saxony (Germany). *Int. J. Earth Sci.*, 93: 706-727.
- K. Schulmann, A. Kröner, E. Hegner, J. I. Wendt, J. Konopásek, O. Lexa, and P. Štípska (2005). Chronological constraints on the Pre-orogenic history, burial and exhumation of deep-seated rocks along the eastern margin of the Variscan orogen, Bohemian Massif, Czech Republic. *Am. J. Science*, 305: 407-448.
- E. Hegner, M. Gruler, H.P. Hann, F. Chen, and M. Güldenpfennig (2005). Testing tectonic models with geochemical provenance parameters in greywacke samples. *J. Geol. Soc. Lond.*, 161 (6): 1-11.

- D.K. Asiedu, E. Hegner, A. Rocholl, D. Atta-Peters (2005). Provenance of late Ordovician to early Cretaceous sedimentary rocks from southern Ghana, as inferred from Nd isotopes and trace elements. *J. African Earth Sci.*, 41: 316-328.
- Kuzmichev, A. Kröner, E. Hegner, Lui Dunyi, Wan Yusheng (2005). The Shiskhid ophiolite, northern Mongolia: a key to the reconstruction of a Neoproterozoic island-arc system in central Asia. *Precambrian Res.*, 138: 125-150.
- J. Ulrych, F.E. Lloyd, K. Balogh, E. Hegner, A. Langrova, M. Lang, J.K. Novak, Z. Randa (2005). Petrogenesis of alkali pyroxenite and ijolite xenoliths from the Tertiary Loucna volcanic centre, Bohemian Massif. *N. Jb. Miner. Abh.*, 182: 57-79.
- J. Ulrych, J.K. Novak, M. Lang, K. Balogh, E. Hegner and Z. Randa (2006). Petrology and geochemistry and K-Ar ages for Cenozoic tinguaites from Ohře/Eger Rift (NW Bohemia). *N. Jb. Miner. Abh.*, 183: 41-61.
- Helo, E. Hegner, A. Kröner, G. Badarch, O. Tomurtogoo, B. F. Windley and P. Dulski (2006). Geochemical signature of Paleozoic accretionary complexes of the Central Asian Orogenic Belt in South Mongolia: Constraints on arc environments and crustal growth. *Chem. Geol.*, 227: 236-257.
- Kröner, A., B.F. Windley, G. Badarch, O. Tomurtogoo, E. Hegner, B.M. Jahn, S. Gruschka, E.V. Khain, A. Demoux, M.T.D. Wingate (2007). Accretionary growth and crust formation in the Central Asian Orogenic Belt and comparison with the Arabian-Nubian Shield. In: Hatcher, R.D., Jr., Carlson, M.P., McBride, J.H., eds. A 4-D framework of continental crust. *Geol. Soc. Am. Mem.*, 200: 181-209.
- Hegner, H.J. Dauelsberg, C. Jeandel, M.M. Ruttgers van der Loeff and H. J.W. de Baar (2007). Nd isotopic constraints on the origin of suspended particles in the Atlantic Sector of the Southern Ocean. *Geochemistry, Geophysics, Geosystems*, 8, (10), 18p.
- Kröner, E. Hegner, D. Alexeiev, J. Heinhorst, H. Lehmann, M.T.D. Wingate & D.Y. Liu (2008). Palaeozoic arc magmatism in the Central Asian Orogenic Belt of Kazakhstan: SHRIMP zircon ages and whole-rock Nd isotopic systematics. *Asian J. Earth Sci.*, 32, 118-130.
- Jaromír Ulrych, Jaroslav Dostál, Ernst Hegner, Kadousa Balogh, Lukáš Ackerman (2008). Late Cretaceous to Paleocene melilitic rocks of the Ohře/Eger Rift in northern Bohemia, Czech Republic: insights into the initial stages of continental rifting. *Lithos*, 101: 141-161.
- V. Purnachandra Rao, E. Hegner, S.W.A.Naqvi, Pratima Kessarkar, S.M. Ahmad and D.S.N. Raju (2008). Miocene phosphorites from the Murray Ridge, northwestern Arabian Sea. *Palaeogeogr., Palaeoclimat., Palaeocol.*, 260: 347-358.

- T.V. Donskaya, B.F. Windley, A.M. Mazukabzov, A. Kröner, E.V. Sklyarov, D.P. Gladkochub, V.A. Ponomarchuk, G. Badarch and M. Reichow E. Hegner (2008). Age and evolution of late Mesozoic metamorphic core complexes in southern Siberia and northern Mongolia. *J. Geol. Soc. Lond.*, 165: 405-421.
- Demény, A., Casillas R., Vennemann, T.W., Hegner, E., Nagy, G., Ahiyado A., De La Nuez J., Sipos P., Pilet S. and Z. Milton, J.A., (2008). Plume-related stable isotope compositions and fluid/rock interaction processes in the seamount series of La Palma, Canary Islands, Spain. *J. Geol. Soc. Lond., Spec. Publ.*, 293: 155-175.
- Grit Steinhöfel, Ernst Hegner, Grahame J. H. Oliver (2008). Geochemical- and Nd isotopic constraints on granitoid sources involved in the Grampian orogeny in Scotland. *J. Geol. Soc. Lond.*, 165, 817-827.
- S. Kraus, H. Miller, D. Dimov, E. Hegner, M. McWilliams & Z. Pecskay (2008). Structural geology of the Miers Bluff Formation (Upper Jurassic - Upper Cretaceous) and crosscutting Paleogene dykes (Livingston Island, South Shetland Islands, Antarctica). *J. S. Am. Earth Sci.*, 26: 498-512.
- Van Kranendonk, M. J., A. Kröner, E. Hegner, J. Connelly (2009). Age, lithology and structural evolution of the c. 3.53 Ga Theespruit Formation in the Tjakastad area, southwestern Barberton Greenstone Belt, South Africa, with implications for Archaean tectonics. *Chem. Geol.*, 261: 114-138.
- László Kocsis, Torsten W. Vennemann, Ernst Hegner, Denis Fontigne, Thomas Tütken (2009). Constraints on the paleoceanography and paleoclimate of the Miocene north Alpine Molasse-, the Vienna- and Pannonian Basins: O-, Sr-, and Nd-isotope compositions of marine fish and mammal remains. *Palaeogeogr., Palaeoclimat., Palaeoecol.*, 271: 117-129.
- Demoux, A., A. Kröner, E. Hegner, G. Badarch (2009). Devonian arc-related magmatism in the Tseel terrane of southwestern Mongolia: chronological and geochemical evidence. *J. Geol. Soc. Lond.*, 166: 459-471.
- L. Shrivastava, Y. Sayed, M. Chauhan and E. Hegner (2009). Experimental, petrological and field constraints on the petrogenesis of economic carbonatites with special reference to the Sarnu-Dandali Area, Northwestern India. In: *Economic Mineralization* (Shrivastava ed.), Scientific Publishers. ISBN:978-81-7233-572-4.
- Chakmouridian, A.R., Böhm, C.O., Demény, A., Reguir, E.P., Hegner, E., Creaser R.A., Halden, N.M., Young, P. (2009). "Kimberlite" from Wekusko Lake, Manitoba: Actually a diamond-indicator-bearing dolomite carbontite. *Lithos*, 112: 347-357.
- Willbold, M., Hegner, E., Stracke A., Rocholl, A. (2009). Continental geochemical signatures in dacites from Iceland and implications for models of early Archaean crust formation. *Earth and Planet. Sci. Lett.*, 279: 44-52.

- Siklosy, Z., Demeny, A. Vennemann, T.W., Pilet, S., Kramers, J., Leel-Ossy, S., Bondar, M., Shen, C.-C., Hegner, E. (2009). Bronze age volcanic event recorded in stalagmites by combined isotope and trace-element studies. *Rapid Commun. Mass Spectrom.*, 23: 801-808.
- Wan, B., E. Hegner, L. Zhang, A. Rocholl, Z. Chen, H. Wu, F. Chen (2009). Rb-Sr geochronology of chalcopyrite from the Chehugou porphyry Mo-Cu deposit (NE China) and geochemical constraints on the origin of hosting granites. *Economic Geology*, 104: 352-363.
- A. Demény, R. Casillas, E. Hegner, T.W. Vennemann, G. Nagy, P. Sipos (2010). Geochemical and H-O-Sr-Nd isotope evidence for magmatic processes and meteoric water interactions in the basal complex of La Gomera, Canary Islands. *Mineralogy and Petrology*, 98: 181-195.
- Hegner, R.F. Emslie, L.M. Iaccheri, M.A. Hamilton (2010). Sources of Mealy Mountain s and Atikokan River anorthosite-granitoid complexes, Grenville Province, Canada. *The Canadian Mineralogist*, 48: 787-808.
- Kröner, Y. Rojas-Agramonte, E. Hegner, K.-H. Hoffmann, M.T.D. Wingate (2010). SHRIMP zircon dating and Nd isotopic systematics of Palaeoproterozoic migmatitic orthogneisses in the Epupa Metamorphic Complex of NW Namibia. *Precam. Res.*, 183: 50-69.
- Hegner, E., Klemd, R., Kröner, A., Corsini, M., Alexeiev, D.V., Iaccheri, L.M., Zack, T., Dulski, P., Xia, X., Windley, B.F. (2010). Mineral ages and P-T conditions of late Paleozoic high-pressure eclogite and provenance of mélange sediments in the south Tianshan Orogen of Kyrgyzstan. *Am. J. Science*, 310: 916-950.
- Lopamudra Saha, Axel Hofmann, Hangqiang Xie, Ernst Hegner, Allan Wilson, Yusheng Wan, Dunji Liu, Alfred Kröner (2010). U-Pb Zircon ages and metomorphic evolution of the Archaean Assegaaai – De Kraalen granitoid-greenstone terrain, southeastern Kaapvaal Craton. *Am. J. Science*, 310: 1384-1420.
- Yamirka Rojas-Agramonte, Alfred Kröner, Antonio García-Casco, Tony Kemp, Ernst Hegner, Mireya Pérez, Dunyi Liu, Matthias Barth, Alain Fonseca-Montero (2010). Zircon ages, geochemical data and Sr-Nd-Hf isotopic data for granitoids associated with the northern ophiolite mélange of central Cuba: tectonic implication for late Cretaceous magmatism in the northwestern Caribbean. *Am. J. Science*, 310: 1453-1479.
- M. Willbold, E. Hegner, A. Stracke, and A. Rocholl (2010). Reply to comment by E. Martin, M. Martin, and O. Sigmarsson on “Continental geochemical signatures in dacites from Iceland and implications for models of early Archaean crust formation” *Earth and Planet. Sci. Lett.*, 293: 220-222.

- Ulrych, J., Jelínek, E., Řanda, Z., Lloyd, F.E., Balogh, K., Hegner, E., Novák, J.K. (2010). Geochemical characteristics of the high- and low-Ti basaltic rocks from the uplifted shoulder of the Ohře (Eger) Rift, Western Bohemia. *Chemie der Erde*, 70: 319-333.
- Ulrych, J., Ackerman, L., Kachlík, V., Langrová, A., Hegner, E., Lloyd, F.E., Balogh, K., Fediuk, F., Lang, M., Filip, J. (2010): Constraints on the origin of gabbroic rocks from the Moldanubian Unit around the Moravia, Austria border. *Geologica Carpathica*, 61: 175-191.
- Klaus Peter Jochum, Steve Wilson, Wafa Abouchami, Marghaleray Amini, Jérôme Chmeleff, Anton Eisenhauer, Ernst Hegner, Linda M. Iaccheri, Bruno Kieffer, William F. McDonough, Regina Mertz-Kraus, Ingrid Raczek, Roberta L. Rudnick, G. Steinhoefel, Brigitte Stoll, Andreas Stracke, Sonia Tonarini, Dominique Weis, Ulrike Weis, Jon D. Woodhead (2010). GSD-1G and MPI-DING Reference Glasses for In-situ and Bulk Isotopic Analysis. *Geostandards and Geoanalytical Res.*, 35 (2): 193-226.
- Jaromír Ulrych, Jaroslav Dostál, Jiří Adamovič, Emil Jelínek, Petr Špaček, Ernst Hegner, Kadosa Balogh (2011). Recurrent Cenozoic volcanic activity in the Bohemian Massif (Czech Republic). *Lithos*, 123: 133-144.
- Demény,A., G. Nagy, B.Bajnóczi, T. Németh, J. Garai, V. Drozd, E. Hegner (2011). Hydrogen isotope compositions in carbonado diamond: constraints on terrestrial formation. *Central European Geology*, 54: 51-74.
- Ackerman, Lukas; Spacek, Petr; Medaris, Gordon, Jr.; et al. (2012). Geochemistry and petrology of pyroxenite xenoliths from Cenozoic alkaline basalts, Bohemian Massif. *J. Geosciences*, 57: 199-219.
- Sen, A., K. Pande, E. Hegner, K.K. Sharma, A.M. Dayal, H.C. Sheth, H. Mistry (2012). Deccan volcanism in Rajasthan: Ar-40-Ar-39 geochronology and geochemistry of the Tavidar volcanic suite. *J. Asian Earth Sci.*, 59: 127-140.
- Kröner, A., D.V. Alexeiev, Y. Rojas-Agramonte, E. Hegner, J. Wong, X. Xia, E. Belousova, A.V. Mikolaichuk, R. Seltmann, D. Liu, V.V. Kiselev (2012). Mesoproterozoic (Grenville-age) terranes in the Kyrgyz North Tianshan: Zircon ages and Nd-Hf isotopic constraints on the origin and evolution of basement blocks in the southern Central Asian Orogen. *Gondwana Res.*, 23: 272-295.
- Xie, H., Hofmann, A., Hegner, E., Wilson, A., Wan., Y., Liu, D. (2012). Zircon SHRIMP dating confirms a Palaeoarchean supracrustal terrain in the southeastern Kaapvaal Caraton, southern Africa. *Gondwana Res.*, 21: 818-828.
- Stephan, E., Knipper, C., Schatz, K., Price, D., Hegner, E. (2012). Strontium isotopes in faunal remains: evidence of the strategies of land use at the Iron Age site Eberdingen-Hochdorf, Germany. In: *Population dynamics in Prehistory and Early*

History. Topoi-Berlin Studies of the Ancient World. Vol. 5, 256-286. Excellence Cluster Topoi (ed.). Walter de Gruyter GmbH, Berlin/Boston.

- Kröner, A., D.V. Alexeiev, Y. Rojas-Agramonte, E. Hegner, J. Wong, X. Xia, E. Belousova, A.V. Mikolaichuk, R. Seltmann, D. Liu, V.V. Kieslev (2013). Mesoproterozoic (Grenville-age) terranes in the Kyrgyz North Tianshan: zircon ages and Nd-Hf isotopic constraints on the origin and evolution of basement blocks in the southern Central Asian orogen. *Gondwana Res.*, 23: 272-295.
- Sajeev, K., Windley, B. F., Hegner, E.; et al. (2013). High-temperature, high-pressure granulites (retrogressed eclogites) in the central region of the Lewisian, NW Scotland: Crustal-scale subduction in the Neoarchaean. *Gondwana Res.*, 23: 526-538.
- Jaromír Ulrych, Lukáš Ackerman, Kadosa Balogh, Ernst Hegner, Emil Jelínek, Zoltan Pécskay, Antonín Přichystal, Brian G.J. Upton, Jiří Zimák, Radana Foltyňová (2013). Plio-Pleistocene basanitic and melilititic series of the Bohemian Massif: K-Ar ages, major/trace element and Sr-Nd isotopic data. On-line: *Chemie der Erde*, DOI [10.1016/j.chemer.2013.02.001](https://doi.org/10.1016/j.chemer.2013.02.001).
- Kröner, A., Y. Rojas-Agramonte, K.V.W. Kehelpannala, T. Zack, E. Hegner, H.Y. Geng, J. Wong, M. Barth (2013). Age, Nd-Hf isotopes, and geochemistry of the Vijayan Complex of eastern and southern Sri Lanka: A Grenville-age magmatic arc of unknown derivation. *Precam. Res.*, 243: 288-321.
- Kröner, V. Kovach, E. Belousova, E. Hegner, R. Armstrong, A. Dolgopolova, R. Seltmann, D.V. Alexeiev, J.E. Hoffmann, J. Wong, M. Sun, K. Chai, T. Wang, Y. Tong, S.A. Wilde, K.E. Degtyarev, E. Rytsk (2013). Reassessment of continental growth during the accretionary history of the Central Asian Orogenic Belt. *Gondwana Res.*, DOI [10.1016/j.gr.2012.12.023](https://doi.org/10.1016/j.gr.2012.12.023).
- R. Skala, J. Ulrych, L. Ackermann, E. Jelinek, J. Dostal, E. Hegner, Z. Randa (2013). Tertiary alkaline Roztoky intrusive complex, Ceske Stredohori Mts., Czech Republic: Petrogenetic characteristics. *Int. J. Earth Sci.*, DOI [10.1007/s00531-013-0948-7](https://doi.org/10.1007/s00531-013-0948-7).
- Kröner, A., J.E. Hoffmann, H. Xie, F. Wu, C. Mücker, E. Hegner, J. Wong, Y. Wan, D. Liu (2013). Generation of early Archaean felsic greenstone volcanic rocks through crustal melting in the Kaapvaal craton, southern Africa. *Earth and Planet. Sci. Lett.*, 381: 188-197.
- Ulrych, J., Ackerman, L., Balogh, K., Hegner, E., Jelinek, E., Pecska, Z., Prichtal, A., Upton, B.G.J., Zimak, J., Foltynova, R. (2013). Plio-Pleistocene basanitic and melilititic series of the Bohemian Massif: K-Ar ages, major/trace element and Sr-Nd data. *Chemie der Erde* 73: 429-450.
- Lukáš Ackerman, Petr Špaček, Tomáš Magna, Jaromír Ulrych, Martin Svojtka, Ernst Hegner, Kadosa Balogh (2013). Alkaline–carbonatic metasomatism and melting of

subcontinental lithospheric mantle: Evidence from mantle xenoliths, Bohemian Massif. *J. Petrol.*, 54: 2597-2633.

- Kamal A. Ali, Alfred Kröner, Ernst Hegner, Jean Wong, Shuang-Qing Li, Hisham A. Gahlan, Fawzy F., Abu El Ela (2013). U-Pb zircon geochronology and Hf-Nd isotopic systematics of Wadi Beitan granitoid gneisses, South Eastern Desert, Egypt. *Gondwana Res.* Doi 10.1016/j.gr. 2013.11.002.
- Klemd, R., Hegner, E., Bergmann, H., Pfänder, J.A., Li, J.L., Hentschel, F. (2014). Eclogitization of continental crust of the Aktyuz Complex during Late Palaeozoic plate collisions in the Northern Tianshan of Kyrgyzstan. *Gondwana Res.*, 26, 925-941.
- Kröner, A., Kovach, V., Belousova, E., Hegner, E., Armstrong, R., Dolgopolova A., Seltmann, R., Alexeiev, D.V., Hoffmann, Wong, J., Sun, M., Cai, K., Wang, T., Tong., Y., Wilde S.A. Degtyarev, K.E., Rytsk, E. (2014). Reassessment of continental growth during the accretionary history of the Central Asian Orogenic Belt. *Gondwana Res.* 25: 103-125.
- Kröner, M. Santosh, E. Hegner, E. Shaji, H. Geng, J. Wong, H. Xie, Y. Wan, C.K. Shang, D. Liu, M. Sun, V. Nanda-Kumar (2014). Palaeoproterozoic ancestry of Pan-African high-grade granitoids in southernmost India: Implications for Gondwana reconstructions. *Gondwana Res.* 255: 823-846.
- Alfred Kröner, J. Elis Hoffmann, Hangqiang Xie, Carsten Münker, Ernst Hegner, Yusheng Wan, Axel Hofmann, Dunyi Liu, Jinhui Yang (2014). Generation of early Archaean grey gneisses through melting of older crust in the eastern Kaapvaal craton, southern Africa. *Precam. Res.* 255: 823-846.
- M. Meyer, R. Klemd, E. Hegner, D. Konopelko (2014). Subduction and exhumation mechanisms of ultra-high and high-P oceanic and continental crust at Makbal (Tianshan, Kazakhstan and Kyrgyzstan). *J. Metam. Geol.* 32: 861-884.
- Hofmann, A. (2014). The Nhlangano gneiss dome in south-west Swaziland – A record of crustal destabilization of the eastern Kaapvaal craton in the Neoarchaean
- Kamal A. Ali, Heejin Jeon, Arild Andresen, Shuang-Qing Li, Hesham M. Harbi, Ernst Hegner (2014). U-Pb zircon geochronology and Nd-Hf-O isotopic systematics of the Neoproterozoic Hadb adh Dayheen ring complex, Central Arabian Shield, Saudi Arabia. *Lithos* 206-207: 348-360.
- Shuang-Qing Li, Ernst Hegner, Yi-Zeng Yang, Jia-De Wu, Fukun Chen (2014). Age constraints on late Mesozoic lithospheric extension and origin of bimodal volcanic rocks from the Hailar basin, NE China. *Lithos* 190-191: 204-219.
- Chu, Zhu-Yin; Li, Chao-Feng; Hegner, Ernst; et al. (2014). High-Precision Nd-143/Nd-144 Ratios from NdO+ Data Corrected with in-Run Measured Oxygen Isotope Ratios. *Analytical Chemistry* 86(22): 11141-11150.

- Ackerman, L., Ulrych, J. Řanda, Z., Erban, V., Hegner, E., Magna, T., Balogh, K., Frána, J., Lang, M. & Novák, J.K. (2015). Geochemical characteristics and petrogenesis of phonolites and trachytic rocks from the České Středohoří Volcanic Complex, the Ohře Rift, Bohemian Massif. *Lithos*, 224-225: 256-271.
- Skala, Roman; Ulrych, Jaromir; Ackerman, Lukas; et al. (2015). Tertiary alkaline Roztoky Intrusive Complex, Ceske stredohori Mts., Czech Republic: petrogenetic characteristics. *Int. J. Earth Sci.* 103(5), 1233-1262.
- Konopelko, D.; R. Klemd; Y. Mamadjanov; E. Hegner; M. Knorsch; D. Fidaev; M. Kern; S. Sergeev (2015). Permian age of orogenic thickening and crustal melting in the Garm Block, South Tien Shan, Tajikistan. *J. Asian Earth Sci.* 113: 711-727.
- Skala, R.; J. Ulrych; L. Ackerman; L. Krmicek; F. Feduik; K. Balogh; E. Hegner (2015). Upper Cretaceous to Pleistocene melilitic volcanic rocks of the Bohemian Massif: petrology and mineral chemistry. *Geologica Carpathica*, 66: 197-216.
- De, S.; Mazumder, R.; Ohta, T.; Hegner, E.; Yamada, K.; Bhattacharyya, T.; Chiarenzelli, J.; Altermann, W.; Arima, M (2015).Geochemical and Sm-Nd isotopic characteristics of the Late Archaean-Palaeoproterozoic Dhanjori and Chaibasa metasedimentary rocks, Singhbhum craton, E. India: Implications for provenance, and contemporary basin tectonics. *Precam. Res.*, 256: 62-78.
- Ackerman, L.; J. Ulrych; Z. Randa; V. Erban; E. Hegner; T. Magna; K. Balogh; J. Frana; M. Lang; J.K. Novak (2015). Geochemical characteristics and petrogenesis of phonolites and trachytic rocks from the Ceske Stredohori Volcanic Complex, the Ohře Rift, Bohemian Massif. *Lithos* 224: 256-271.
- Hofmann, A.; A. Kröner; H. Xie; E. Hegner; G. Belyanin; J. Kramers; R. Bolhar; A. Slabunov; J. Reinhardt; P. Horvath (2015). The Nhlango gneiss dome in south-west Swaziland - A record of crustal destabilization of the eastern Kaapvaal craton in the Neoarchaean. *Precam. Res.* 258: 109-132.
- Kamal, A. A.; A. Kröner; E. Hegner; J. Wong; S.-Q. Li; H.A. Gahlan; F.F. Abu El Ela (2015). U-Pb zircon geochronology and Hf-Nd isotopic systematics of Wadi Beitan granitoid gneisses, South Eastern Desert, Egypt. *Gondwana Res.* 27: 811-824.
- Kröner, A.; M. Santosh; E. Hegner; E. Shaji; H. Geng; J. Wong; H. Xie; Y. Wan; C.K. Shang; D. Liu; M. Sun; V. Nanda-Kumar (2015). Palaeoproterozoic ancestry of Pan-African high-grade granitoids in southernmost India: Implications for Gondwana reconstructions. *Gondwana Res.* 27: 1-37.
- Svojtka, M.; L. Ackerman; L.G. Medaris; E. Hegner; J.W. Valley; T. Hirajima; E. Jelinek; T. Hrstka (2016). Petrological, geochemical and Sr-Nd-O-isotopic constraints on the origin of garnet and spinel pyroxenites from the Moldanubian Zone of the Bohemian Massif. *J. Petrol.* 57(5): 897-920.

- Kröner, A.; Anhaeusser, C. R.; Hoffmann, J. E.; et al. (2016). Chronology of the oldest supracrustal sequences in the Palaeoarchaean Barberton Greenstone Belt, South Africa and Swaziland. *Precam. Res.* 279: 123-143.
- Kröner, A.; Anhaeusser, C. R.; Hoffmann, J. E.; et al. (2016). Chronology of the oldest supracrustal sequences in the Palaeoarchaean Barberton Greenstone Belt, South Africa and Swaziland. *Precam. Res.* 279: 123-143.
- Siahi, M.; Hofmann, A.; Hegner, E.; et al. (2016). Sedimentology and facies analysis of Mesoarchaean stromatolitic carbonate rocks of the Pongola Supergroup, South Africa. *Precam. Res.* 278: 244-264.
- Hoffmann, J. Elis; Kröner, Alfred; Hegner, Ernst; et al. (2016). Source composition, fractional crystallization and magma mixing processes in the 3.48-3.43 Ga Tsawela tonalite suite (Ancient Gneiss Complex, Swaziland) - Implications for Palaeoarchaean geodynamics. *Precam. Res.*, 276: 43-66.
- Alexeiev, D. V.; Kröner, A.; Hegner, E; et al. (2016). Middle to Late Ordovician arc system in the Kyrgyz Middle Tianshan: From arc-continent collision to subsequent evolution of a Palaeozoic continental margin. *Gondwana Res.*, 39: 261-291.
- Mühlberg, M.; Hegner, E.; Klemd, R; et al. (2016). Late Carboniferous high-pressure metamorphism of the Kassan Metamorphic Complex (Kyrgyz Tianshan) and assembly of the SW Central Asian Orogenic Belt. *Lithos* 264: 41-55.
- Topuz, Gültekin; Hegner, Ernst; Homam, Seyed Masoud; et al. (2018). Geochemical and geochronological evidence for a Middle Permian oceanic plateau fragment in the Paleo-Tethyan suture zone of NE Iran. *Contib. Mineral. Petrol.* 173: 171-183.
- Kröner, A.; Nagel, T. J.; Hoffmann, J. E.; et al. (2018). High-temperature metamorphism and crustal melting at ca. 3.2 Ga in the eastern Kaapvaal craton, southern Africa. *Precam. Res.* 317: 101-116.

- Saka, Samet; Uysal, Ibrahim; Kapsiotis, Argyrios; et al. (2018). Petrological characteristics and geochemical compositions of the Neotethyan Mersin ophiolite (southern Turkey): Processes of melt depletion, refertilization, chromitite formation and oceanic crust generation. *J. Asian Earth Sci.* 176: 281-299.
- Hoffmann, J.E., Musese, E., Kröner, A., Schneider, K.P., Wong, J., Hofmann, A., Hegner, E., Kasper, H.U., Tusch, J., Münker, C. (2020). Hafnium-Neodymium isotope, trace element and U-Pb zircon age constraints on the petrogenesis of the 3.44-3.46 Ga Dwalile greenstone remnant, Ancient Gneiss Complex, Swaziland. *Precam. Res.* 351. doi.org/10.1016/j.precamres.2020.105970.

- Hegner, E., Rajesh, S., Willbold, M., Müller, D., Joachimski, M., Hofmann, M., Linnemann, U., Zieger, J., Pradeepkumar, A.P. (2020). Sediment-derived origin of the putative Munnar carbonatite, South India. *Gondwana Res.* 200. doi.org/10.1016/j.jseaes.2020.104432.
- Agangi, A., Hofmann, A., Hegner, E., Xie, H., Teschner, C., Slabunov, A., Svetov, S. (2020). The Mesoarchaean Dominion Group and the onset of intracontinental volcanism on the Kaapvaal craton – Geological, geochemical and temporal constraints. *Gondwana Res.*, 84: 131-150. doi.org/10.1016/j.gr.2020.03.005
- Hegner, E., D.V. Alexeiev, M. Willbold, A. Kröner, G. Topuz & A.V. Mikolaichuk (2020). Early Silurian tholeiitic-boninitic Mailisu ophiolite, South Tianshan, Kyrgyzstan: a geochemical record of subduction initiation. *Int. Geol. Rev.* doi.org/10.1080/00206814.2019.1610670
- Kempton, P.D., Spence, A., Downes, H., Blichert-Toft, J., Bryce, J.G., Hegner, E., Vroon, P.Z. (2021). Isotopic evolution of prehistoric magma sources of Mt. Etna, Sicily: Insights from the Valle Del Bove. *Contrib. Mineral. Petrol.*, doi.org/10.1007/s00410-021-01804.
- Hegner, E., D.V. Alexeiev, N. Messling, T.Yu Tolmacheva, M. Willbold (2021). Cambrian-Ordovician mid-ocean ridge magmatism in the Kyrgyz Middle Tianshan and origin of the Karaterek ophiolite. *Lithos*, doi.org/10.1016/j.lithos.2021.106576.